# Subject Index


A

**Acoustic wave guide**, monitoring, composite materials, cure and structural integrity, 367
**Acrylic acid anhydride**, interpenetrating polymer networks, selective decrosslinking, annealing, 730
**Acrylonitrile**, epoxy blends, butadiene, amine-terminated, 63
**Additives**, drawing temperature, oxidative degradation, drawn high density polyethylene, 479
**Adhesiveness**
  adhesive tensile test methods, analysis, 962
  surface behavior and, silicone elastomer RTV-142, 931
**Aerospace industry**, slow curing epoxy, monitoring the initial phase, 1563
**Aging**
  physical
    biaxial creep, cellulose acetate butyrate, 269
    enthalpy recovery, polymer-diluent binary systems, 290
**Alkyl chains**, glass transition relations, ionomeric "comb" polymers, 1451
**Aluminum/epoxy joint**, strength and durability, effect of bulk structure, amino silane primer, 768
**Amino silane primer**, effect of bulk structure, aluminum/epoxy joints, strength and durability, 768
**Ammonia**, catalyst, silica precipitation, silicone networks, 167
**Anisotropy**, bisphenol-A polycarbonate, biaxial deformation and yield behavior, 920
**Annealing**, selective decrosslinking and, interpenetrating polymer networks, 730
**Azide-phenol**, resin photoresist, photochemistry, 1090

B

**Barrier**, gas, prediction, high polymers, 1543
**Barrier screw**, extruder screws with barrier sections, 1245
**Bending**, glass-fiber-reinforced polypropylene, dynamic properties, 1293
**Bisphenol-A polycarbonate**, biaxial deformation and yield behavior, effect of anisotropy, 920
**Bisphenolfurfural**, resin curing, differential scanning calorimetry, 1186
**BKZ elastic fluid theory**, probe of nonlinear response in polymers, superposition of small strains on large deformations, 725
**Blends**
  polycarbonate/phenoxy, melt-processing conditions, 1478
  polymer, microrheology, influence of coalescence, 1332
  polypropylene and ethylene-propylene copolymers, melt compatibility, 1500
  poly(vinyl chloride)/chlorinated poly(vinyl chloride), rheological and mechanical properties, 947
**Block copolymers**, styrene-butadiene-styrene, volumeric properties, microstructural influences, 525
**Blow molding**, swell behavior, capillary extrudate and parison, experimental investigation, 508
**Blown film**
  optical properties, resin properties, correlation, 569
  polypropylene, light transmission properties, 736
**Boger fluids**
  non-shear thinning elastic fluids, remarks, 133
  numerical simulation, viscometric approximation approach, 1552
**Butadiene**
  amine-terminated, acrylonitrile/epoxy blends, 63
  styrene block copolymers, volumetric properties, microstructural influences, 525

C

**Calorimetry**
  differential scanning
    curing of bisphenolfurfural resins, 1186
    epoxy thermosetting systems, characterization, 1514
**Capillary viscometry**, new approach, thermoset transfer molding compounds, 1399
**ε-Caprolactam**, initiated anionic polymerization, mechanistic kinetic model, 560
**Carbon black**, filled polymer composites, dielectric behavior, 1568
**Cast films**, edge beads, causes, 462
**Cavity-filling**
  injection molding
    boundary conditions for modeling, 893
    fountain flow, 1457
**Cellulose acetate butyrate**, physical aging, biaxial creep, 269
**Chain conformation**, extended, shrinkage, as a measure, 690
**Chemorheology**, amine-cured epoxy resin, 427
**Chloroform**, transport, stress-whitened polypropylene, 1533
**Circular rods**, transparent polymers, non-destructive measuring technique, residual stresses, 310
**Coextrusion**, flow, two molten polymers between parallel plates, 682
**Cold drawing**, stress-whitened polypropylene, chloroform transport, 1533
**Composites**
  carbon fiber, poly(etheretherketone) crystallization, 633
  cure and structural integrity, acoustic wave guide monitoring, 367
  electrically conductive, polymer particles, metal-coated by electroless deposition, 139
  resins and, monitoring, use of microdielectrometry, 373
**Compressibility**, effect of melt, wire-coating process, high-speed, 410
**Compression molding**, stimulating reactive processing, free radical polymerization, 746
**Computers**, interface for fabrication and testing, surfactant films, 1310
**Concrete**, montmorillonite polymer, zero-shrinkage and expansion, enhanced strength, 1524
**Condensation reaction**, silicone rubber, electrical properties, 940
**Continuous stirred tank reactors**, steady state of free radical solution, polymerization, 975
**Contour coating**, spun-on, advanced optical lithography, 1135
**Copolymerization reactors**, continuous, optimization, steady state multiobjective, 499
**Copolymers**
  high-$T_g$ base-soluble, novolac replacements, positive photoresists, 1096
  siloxane-urea segmented, small angle X-ray studies, 1371
**Crazes**
  Bryce Maxwell's contributions to polymer science, 1362
  Bryce Maxwell's "Forty Years Amongst the Large Molecules", 1351
  discussion of Bryce Maxwell's publications, 1355
  multiple, crack tips, PVC under plane strain conditions, 626
**Creep**
  analysis, polymer structures, 776
  biaxial, physical aging, cellulose acetate butyrate, 269
  fatigue interactions, description, methodology for thermoplastic components, 1582
  linear high density polyethylene, recovery behavior, small uniaxial deformations, 1050
**Crystallization**
  induced, integral sorption, 1066
  poly(*cis*-1,4-cyclohexane dimethanol

sebacate), model networks, unstrained and strained states, 297
poly(etheretherketone), carbon fiber composites, 633
**Cure**
bisphenolfurfural resins, differential scanning calorimetry, 1186
cycle monitoring, nondestructive material evaluation, dynamic dielectric analysis, 338
epoxy resin, relaxed permittivity, chemical interpretation, 354
laminate, monitoring, microdielectrometry, 358
process, dielectric modeling, 346
slow, epoxy, dynamic viscoelastic properties, 1563
**Cycle time**, measurements, injection molding, filled thermoplastics, 877

D

**Decrosslinking**, selective, annealing and, interpenetrating polymer networks, 730
**Deformation**
large, superposition of small strains, nonlinear response in polymers, 725
plastic, crystalline polymers, 285
rapid compressive, temperature changes, high density polyethylene and poly(methyl methacrylate), 1060
small uniaxial, creep and recovery behavior, polyethylene and ethylene-hexene copolymer, 1050
**Degradation**, oxidative, drawn high density polyethylene, additives and drawing temperature, 479
**Densification**, pressure-induced, injection molding, 534
**Density**, bulk, dynamics of foam growth, 255
**Desorption**, free radicals, particle size distribution, vinyl acetate emulsion polymerization, 127
**Developers**
molded deep-UV portable conformable masking system, 1112
optimal selection, negative acting resists, 1158
**Devolatilization**
foam
mechanism, partially filled screw devolatilizers, 673
polymer melt, 982
**Dichroism**, infrared, cast film and tubular extrusion, polyethylene-polycarbonate blends, 45
**Dielectric properties**
carbon black filled polymer composites, 1568
cure cycle monitoring, nondestructive material evaluation, 338
epoxy cure, stoichiometric mixing ratio, effects, 362
modeling, curing process, 346
**Dies**
design, extrusion, sheets and annular parisons, 543
expanding channel tube, fiber orientation, flow induced, 468
flat, two molten polymers, two directional coextrusion flow, 455
**Dimensional stability**, polystyrene/polymeric liquid crystal blends, 600
**Ductility**, effect, epoxy resins, fatigue behavior, 274

E

**EB resists**, polymers, electron sensitivity and chemical structures, relationship, 653
**Edge beads**, causes, cast films, 462
**Elastic fluids**, non-shear thinning, remarks, 133
**Elastomers**
network preparation, high-*Cis* and high-*Trans* 1,4-polybutadienes, 304
segmented polyurethane, liquid sorption, 1547
silicone RTV-142, adhesion and surface behavior, 931
**Electrical conductivity**, silicone rubber, condensation reaction, 940
**Electronics packaging**, silicone elastomer RTV-142, adhesion and surface behavior, 931
**Energy**, power consumption, twin-screw extruders, partially filled, 969
**Enthalpy**, recovery, physical aging, polymer-diluent binary systems, 290
**Epoxy resin**
acrylonitrile blends, butadiene, amine-terminated, 63
amine-cured, chemorheology, 427
cure
dielectric analysis, stoichiometric mixing ratio, 362
relaxed permittivity, chemical interpretation, 354
fatigue behavior, ductility effect, 274
fibrous networks, forced in-plane flow, 1434
slow curing, monitoring the initial phase, 1563
thermosetting systems, characterization, differential scanning calorimetry, 1514
**Esterification**, direct continuous process, terephthalic acid and ethylene glycol, mathematical model, 708
**Ethanol**, sorption equilibria and kinetics, miscible poly(vinylidene fluoride)/poly(methyl methyacrylate) blends, 1218
**Ethylamine**, catalyst, silica precipitation, silicone networks, 167
**Ethylene glycol**, terephthalic acid and, direct continuous esterification process, mathematical model, 708
**Ethylene-hexene copolymer**, creep and recovery behavior, small uniaxial deformations, 1050
**Ethylene-propylene**, polypropylene and, melt compatibility, 1500
**Ethylene-tetrafluoroethylene**, structural studies, deformation mechanism, row-crystallized film, 1323
**Explosives**, polymer blends, 1489
**Extrudate**
capillary, swell behavior, blow molding, 508
thickness, on-line computer control, 197
**Extrudate-swell**, polyethylenes, low density/linear low density, flow properties, 28
**Extruders**
elastic melt, Bryce Maxwell's "Forty Years Amongst the Large Molecules", 1351
evaluating screw performance, 1007
screws
single, dynamic behavior, 144
single, dynamic modeling, 152
single, power law fluids, 1240
screws with barrier sections, 1245
twin-screw
commercial, residence time distribution, 640
mass transfer model, 647
partially filled, power consumption, 969
**Extrusion**
continuous, reacting polyurethane foam, 326
die design, sheets and annular parisons, distribution, 543
hydrostatic solid state, polypropylene, biaxial orientation, 997
profile, multidimensional control, 233
solid state, polytetrafluoroethylene fibers, 239
wire coating, approximate solution, 957

F

**Fatigue**
behavior, ductility effect, epoxy resins, 274
creep interactions, description, methodology for thermoplastic components, 1582
**Feedforward control**, polymer extrusion, process control, 205
**Fiber-reinforced composites**, forced in-plane flow of an epoxy resin, fibrous networks, 1434
**Fibers**
orientation, flow induced, expanding channel tube die, 468
silicon carbide-silicon nitride, preparation, pyrolysis of polycarbosilazane precursors, 1191
**Filaments**, slow curing epoxy, monitoring the initial phase, 1563
**Fillers**, carbon black, polymer composites, dielectric behavior, 1568
**Film blowing extrusion**, processibility measure, low density polyethylene, use of melt strength, 388
**Films**
high modulus, fabrication by solid state rolling, 1254
multilayered coextruded and laminated, qualitative and quantitative analysis, 605
row-crystallized, deformation mechanism, ethylene-tetrafluoroethylene, 1323
surfactant, fabrication and testing, computer interface, 1310
**Finite element**
analysis, wire coating, 171
stimulation, injection molding, fountain flow, 449
**Flame retardation**, polypropylene, organoantimony compounds, melt flow behavior, 332
**Flow**
coextrusion
two directional, two molten polymers and flat dies, 455
two molten polymers between par-

allel plates, 682
effect, cavity surface temperatures, thermoset and thermoplastic injection molding, 243
fountain, injection mold cavity filling, 1457
reorientation through multiple impingement, RIM, interpenetrating polymer networks, 843
simulation of reacting flow during filling, reaction injection molding, 1264
wire coating extrusion, approximate solution, 957
**Fluorescence studies**, polymer blends, anchoring stabilizer chain, nonaqueous dispersions, 15
**Foam**
devolatilization
mechanism, partially filled screw devolatilizers, 673
polymer melt, 982
growth, dynamics, bulk density, 255
plastic, stress relaxation curves, 1305
**Fountain flow**
injection molding
cavity filling, 1457
finite element stimulation, 449
**Fracture**
behavior, surface embrittled polymers, 1173
characterization, tough polymers, J method, 760
mechanics, adhesive tensile test methods, analysis, 962

G

**Gas**, barrier, prediction of properties, high polymers, 1543
**Gelation**, capillary viscometry, thermoset transfer molding compounds, 1399
**Geometry**, cone-and-plate, viscometry of suspensions, techniques, 121
**Glass**
high $T_g$ polymeric materials, formation and properties of thermosetting, 1429
transition relations, ionomeric "comb" polymers, 1451
**Glass fibers**, reinforced polypropylene, dynamic properties, pure bending, 1293
**Glasswool**, porous composite, phenol-formaldehyde resin, polymerization, 381
**Glycidyl methacrylate**, polymerization, in wood, *in situ* kinetics, 576

H

**Hexane**, vapor sorption, heterogeneous media, analysis, 1045
**Hydroxyl groups**, determination, H NMR spectroscopy, prepolymers, 1510

I

**Impact properties**, rubber particle size, high impact polystyrene blends, 74
**Impingement**
multiple, flow reorientation, RIM, 843
reaction injection molding, interpenetrating polymer networks, 799
**Injection molding**
cycle time measurements, filled thermoplastics, 877
densification, pressure-induced, 534
effect of fill time on properties, 488
filling
boundary conditions in modeling, 893
thin cavities
viscoelastic melts, with fountain flow, 190
fountain flow
finite element stimulation, 449
process of cavity filling, 1457
melt and barrel temperature dynamics, 854
melt temperature control strategies, 867
packing phase, 886
pressure losses in the packing stage, 1282
reaction
flow reorientation through multiple impingement, interpenetrating polymer networks, 843
high pressure processing, interpenetrating polymer networks, 781
mixing at high Reynolds numbers, interpenetrating polymer networks, 799
polyurethanes, phase structure of polyetherpolyol-4,4′-diphenylmethane, 585
rigid polyurethane, flexural properties, 701
simulation of reacting flow during filling, 1264
structure-oriented computer stimulation viscoelastic crystalline polymers, 92, 103
thermoset and thermoplastic, effect of flow, cavity surface temperatures, 243
**Iodoalkanes**, glass transition relations, ionomeric "comb" polymers, 1451
**Ionomers**, elastomeric, new model, polyisobutylene-based, 662
**Isotherms**, stress-strain, *Cis-Trans* polybutadienes, stereoirregular and stereoblock, 162

J

**J method**, fracture characterization, tough polymers, 760
**Joints**, aluminum/epoxy, effect of bulk structure, amino silane primer, 768

L

**Laminate**, cure, monitoring, microdielectrometry, 358
**Laser**, excimer, projection patterning, with and without resists, 1146
**Light transmission**, polypropylene tubular blown films, 736
**Liquid crystalline polymers**, thermotropic, recent developments, 901
**Liquids**, sorption, segmented polyurethane elastomer, 1547
**Lithography**
deep UV, negative photoresist, LMR, 1105
E-beam and SR, dry developable resist, 1148
optical, *see* Optical lithography
synchrotron, sub-micron features, single layer resists, 1153
VLSI, "dyed" resist, reduction of reflective notches, 1165
**LMR films**, negative photoresist, deep UV lithography, 1105
**Loadings**, uniaxial and biaxial, nylon-6, time-dependent behavior, 318

M

**Masking system**, molded deep-UV portable conformable, 1112
**Mathematical models**
boundary conditions, injection mold-filling, thin cavities, 893
computer stimulation, direct continuous esterification process, terephthalic acid and ethylene glycol, 708
creep analysis, polymer structures, 776
integral-skin polyurethane foam, 717
pultrusion process, 393
stimulating reactive processing, free radical polymerization, 746
**Maxwell, Bryce**
contributions to polymer science and engineering, 1362
"Forty Years Amongst the Large Molecules", 1351
polymer materials program at Princeton, review of forty years, 1359
scientist/innovator/teacher, 1355
**Melt**
barrel temperature dynamics and, injection molding study, 854
compatibility, blends, polypropylene and ethylene-propylene copolymers, 1500
compressibility, wire-coating process, high-speed, 410
control strategies, injection molding study, 867
devolatilization, foam-enhanced, 982
elasticity
Bryce Maxwell's contributions to polymer science, 1362
measurements, application to polymer processing, 1405
flow, organoantimony compounds, polypropylene and flame retardation, 332
mechanical properties and, polypropylene, cryo-ground rubber effect, 1079
polymeric
dynamic measurements
measuring normal stresses, hole and exit pressure comparison, 225
molecular weight and distribution, 1339
pressure drop, conical converging flow, 214
processing conditions, polycarbonate/phenoxy blends, 1478
rheology
evaluating screw performance, 1007
polymer powder, 989
stength use, low density polyethylene, film blowing extrusion, 388
viscoelastic, injection mold filling, with fountain flow, 190
**Metals**, electroless deposition, polymer particles, electrically conductive composites, 139
**Microdielectrometry**
laminate cure monitoring, 358
use, monitoring, cure of resins and composites, 373

**Microrheology**
polymer blending
drop deformation, 1229
influence of coalescence, 1332
threadlike particles, 418
**Microscope, optical,** characterization of molecular ordering, polymers, 1021
**Miscibility**
melt compatibility, blends of polypropylene and ethylene-propylene copolymers, 1500
polymer blends
high explosive binders, 1489
rheological and mechanical properties, 947
**Mixing,** high Reynolds numbers, reaction injection molding, interpenetrating polymer networks, 799
**Molding compounds,** thermoset transfer, new approach to capillary viscometry, 1399
**Moldings,** flexural properties, rigid polyurethane, reaction injection molding, 701
**Molecular weight**
distribution, dynamic measurements, polymer melts, 1339
ultrahigh and moderate, mixtures of linear polyethylenes, characterization, 1483
**Montmorillonite polymer concrete,** zero-shrinkage and expansion, enhanced strength, 1524
**Morphology,** initial, ultra-high molecular weight polyethylene, mechanical properties, 658

N

**Neutrons,** small-angle scattering facilities, polymer research, 695
**Newtonian drops,** deformation, study on polymer blending microrheology, 1229
**Novolac**
molded deep-UV portable conformable masking system, 1112
positive electron beam, two-layer systems, poly(alkenylsilane sulfone), 1123
replacements, positive photoresists, phenolic polymers, 1096
**Nuclear magnetic resonance spectroscopy**
hydroxyl group determination, prepolymers, 1510
new directions, polymers, 1419
**Nylon-6**
ε-caprolactam, initiated anionic polymerization, mechanistic kinetic model, 560
nonvaporizing, optimization, stopping conditions and end-point constraints, 1033
time-dependent behavior, uniaxial and biaxial loadings, constant rate, 318

O

**Optical lithography**
limits, 1145
spun-on contour coating, characterizations, 1135
submicron, Japan, 1140
**Optical microscopy,** characterization of molecular ordering, 1021
**Optical properties,** resin properties and blown film, correlation, 569
**Optimization,** steady state multiobjective, continuous copolymerization reactors, 499
**Organoantimony compounds,** melt flow behavior, polypropylene, flame retardation, 332
**Orientation,** biaxial, polypropylene, hydrostatic solid state extrusion, 997

P

**Packing,** stage of injection molding, pressure losses, 1282
**Permeability,** gas, prediction of properties, high polymers, 1543
**Permeation,** transient sorption and, heterogeneous media, 1045
**Permittivity,** relaxed, during epoxy resin cure, chemical interpretation, 354
**Phase continuity,** inversion and, polymer blends, simultaneous interpenetrating networks, 517
**Phase morphology,** effect of rheological parameters, polyblends, 82
**Phenolformaldehyde,** resin, polymerization, porous glasswool composite, 381
**Phenylalanine,** solute diffusion, swollen membranes, poly(2-hyroxyethyl methacrylate), 1180
**Photochemistry,** azide-phenolic resin photoresist, 1090
**Photoresists**
azide-phenolic resin, photochemistry, 1090
excimer laser projection patterning, 1146
negative, deep UV lithography, 1105
new dual image, role of latent image, 1101
positive, novolac replacements, high-$T_g$ base-soluble copolymers, 1096
**Poly(alkenylsilane sulfone),** positive electron beam resists, two-layer systems, 1123
**Polyamide-6,** high density polyethylene blends, melt rheology, 34
**Polyblends**
phase morphology, effect of rheological parameters, 82
transient sorption and permeation, heterogeneous media, 1045
**Polybutadiene,** transient sorption and permeation, heterogeneous media, 1045
**Polybutadiene/poly(dimethyl siloxane),** determination of polymer interfacial tension, drop image processing, 1410
**Polybutadienes**
*Cis-Trans,* stereoirregular and stereoblock, stress-strain isotherms, 162
high-*Cis* and high-*Trans* 1,4, elastomeric properties, network properties, 304
**Polycarbonate/phenoxy blends,** melt-processing conditions, 1478
**Polycarbonates**
fracture, brittle-ductile transition, effect of rolling orientation, 1290
polyethylene blends, cast film and tubular extrusion, infrared dichroism, 45
sheet, material modeling and solid phase forming, 612
**Polycarbosilazane precursors,** pyrolysis, fiber preparation, silicon carbide-silicon nitride, 1191
**Poly(*Cis*-1,4-cyclohexane dimethanol sebacate),** crystallization, model networks, unstrained and strained states, 297
**Poly(dimethylsiloxane),** molecular orientation, elongational and shearing strains, 1276
**Poly(dimethylsiloxane)/polybutadiene,** determination of polymer interfacial tension, drop image processing, 1410
**Polyester**
interpenetrating polymer networks
reaction injection molding, mixing at high Reynolds numbers, 799
RIM, flow reorientation through multiple impingement, 843
polyurethane interpenetrating polymer networks, processing, high pressure RIM system, 781
**Poly(etheretherketone)**
crystallization
carbon fiber composites, 633
kinetics of, 1574
thermal stability and compatibility, oxidizer and pyrotechnic blend, 1469
**Polyetherpolyol-4,4′-diphenylmethane,** phase structure, reaction injection molded polyurethanes, diisocyanate-based, 585
**Polyethylenes**
blends, linear low density, financial incentive, 111
chlorinated, properties, 1195
drawn high density, oxidative degradation, additives and drawing temperature, 479
high density
polyamide-6 blends, melt rheology, 34
temperature changes, rapid compressive deformation, 1060
linear, characterization of mixtures, 1483
linear high density, creep and recovery behavior, small uniaxial deformations, 1050
low density, melt strength use, film blowing extrusion, 388
low density/linear low density, flow properties, 28
melt rheology, evaluating screw performance, 1007
polycarbonate blends, cast film and tubular extrusion, infrared dichroism, 45
tensile yield, 554
ultra-high molecular weight, mechanical properties, initial morphology effect, 658
**Poly(ethylene terephthalate),** water absorption, effect, degree of molecular orientation, 620
**Poly(2-hydroxyethyl methacrylate),** solute diffusion, swollen membranes, 1180
**Polyisobutylene**
basis for new model, elastomeric ionomers, rheological behavior, 662
partially-filled twin-screw extruders, power consumption, 969
probe of nonlinear response, superposition of small strains on large deformations, 725
**Polyisobutylene-polybutene system,**

non-shear thinning elastic fluids, remarks, 133
**Poly(lactam thioether)**, polymer EB resists, electron sensitivity and chemical structures, relationship, 653
**Polymer blends**
fluorescence studies, anchoring stabilizer chain, non-aqueous dispersions, 15
high explosive binders, 1489
liquid crystal, polystyrene, dimensional stability, 600
microrheology, 418
phase continuity and inversion, simultaneous interpenetrating networks, 517
**Polymer composites**, carbon black filled, dielectric behavior, 1568
**Polymer films**, supported, stress development, thermal cycling, 1213
**Polymer glass**, superposition of small strains on large deformations, 725
**Polymeric modifiers**, cross-linked resins, phase separation, 54
**Polymeric systems**, highly loaded ferrite-filled, viscoelastic properties, 441
**Polymerization**
free radical, model, stimulating reactive processing, 746
glycidyl methacrylate in wood, *in situ* kinetics, dynamic mechanical measurements, 576
initiated anionic, $\epsilon$-caprolactam, mechanistic kinetic model, 560
linear, TTT diagram, 1429
multifunctional
effect of intramolecular reactions, cascades of continuous-flow/stirred-tank reactors, 1314
with cyclization, kinetic approach, 1297
nonvaporizing Nylon 6 reactors, optimization, 1033
phenolformaldehyde resin, porous glasswool composite, 381
steady state of free radical solution, continuous stirred tank reactor, 975
vinyl acetate emulsion, particle size distribution, radical desorption effect, 127
**Polymers**
amorphous, weldline structure, performance prediction, 1200
blending microrheology
drop deformation, 1229
influence of coalescence, 1332
crystalline, plastic deformation, 285
EB resists, electron sensitivity and chemical structures, relationship, 653
extrusion
process control, feedback, 197
process control, feedforward, 205
high, prediction of gas barrier properties, 1543
high nitrite barrier, water absorption, effect, 405
interpenetrating networks
processing, high pressure RIM system, 781
RIM, flow reorientation through multiple impingement, 843
RIM, mixing at high Reynolds numbers, 799
selective decrosslinking, annealing, 730
ionomeric "comb", glass transition relations, 1451
melt devolatilization, foam-enhanced, 982
molten, flat dies, two directional coextrusion flow, 455
nuclear magnetic resonance spectroscopy, new directions, 1419
phenolic, novolac replacements, positive photoresists, 1096
powder, melt rheology, 989
probe of nonlinear response, superposition of small strains on large deformations, 725
processing, application of melt elasticity measurements, 1405
solid state rolling, fabrication of high modulus films, 1254
structures, creep analysis, 776
surface embrittled, fracture behavior, 1173
thermotropic liquid crystalline, recent developments, 901
tough, fracture characterization, J method, 760
transparent, non-destructive measuring technique, residual stresses, 310
use of optical microscope, characterization of molecular ordering, 1021
viscoelastic crystalline injection molding, structure-oriented computer stimulation, 92, 103
**Poly(methyl methacrylate)**
high density polyethylene and, temperature changes, rapid compressive deformation, 1060
probe of nonlinear response, superposition of small strains on large deformations, 725
synchrotron lithograpy, sub-micron features, single layer resists, 1153
**Poly(methyl methacylate)**, melt elasticity measurements, application to polymer processing, 1405
**Polyolefins**, poly(vinylchloride) blends, vibrational analysis, 9
**Polypropylene**
biaxial orientation, hydrostatic solid state extrusion, 997
copolymer, fracture characterization, J method, 760
effect of cyo-grown rubber, melt flow and mechanical properties, 1079
ethylene-propylene copolymers and, melt compatibility, 1500
flame retardation, organoantimony compounds, melt flow behavior, 332
glass-fiber-reinforced, dynamic properties, pure bending, 1293
isotactic, uniaxially oriented, characterization, 593
stress-whitened, chloroform transport, 1533
tubular blown films, light transmission properties, 736
**Polysilanes**, soluble, new class, radiation sensitive materials, 1129
**Polystyrene**
discussion of Bryce Maxwell's publications, 1355
high impact blends, impact properties, rubber particle size, 74
melt elasticity measurements, application to melt elasticity, 1405
particles, metal-coated by electroless deposition, electrically conductive composites, 139
polymeric liquid crystal blends, dimensional stability, 600
poly(vinylmethylether) blends, static and kinetic studies, 3
ring-substituted, radiation-induced reactions, 1116
transient sorption and permeation, heterogeneous media, 1045
**Polystyrene/(polyvinylmethylether)**, phase decomposition phenomena, 1208
**Polytetrafluoroethylene fibers**, solid state extrusion, 239
**Poly(tetramethylene adipate)**, radiation curable polyurethanes, synthesis and characterization, 1442
**Polyurethanes**
foam
integral-skin, 717
reacting, continuous extrusion, 326
interpenetrating polymer networks
reaction injection molding, mixing at high Reynolds numbers, 799
RIM, flow reorientation through multiple impingement, 843
polyester interpenetrating polymer networks, processing, high pressure RIM system, 781
radiation curable, synthesis and characterization, pendant acrylate groups, 1442
reaction injection molded, diisocyanate-based, phase structure of polyetherpolyol-4,4′-diphenyl methane, 585
rigid, moldings, flexural properties, 701
segmented elastomer, liquid sorption, 1547
**Poly(vinyl chloride)**
chlorinated poly(vinyl chloride) blend, miscibility, rheological and mechanical properties, 947
polyolefin blends, vibrational analysis, 9
under plane strain conditions, crack tips, multiple crazing, 626
**Poly(vinylidene fluoride)/poly(methyl methacrylate)**, ethanol sorption equilibria and kinetics, 1218
**Poly(vinylmethylether)**, polystyrene blends, static and kinetic studies, 3
**Power law fluids**, throughput-pressure relationships, single screw extruders, 1240
**Prepolymers**, hydroxyl group determination, H NMR spectroscopy, 1510
**Pressure**
drop, polymeric melts, conical converging flow, 214
gradient, throughput-pressure relationships, single screw extruders, 1240
hole and exit methods, comparison, measurement of polymer melt stresses, 225
loss in the packing stage, injection molding, 1282
**Processing**
high pressure RIM system, interpenetrating polymer networks, 781

interpenetrating polymer networks
RIM, flow reorientation through multiple impingement, 843
RIM, mixing at high Reynolds numbers, 799
polypropylene tubular blown films, light transmission properties, 736
reactive stimulation, free radical polymerization, 746
**Pultrusion process**, mathematical model development, 393

R

**Radiation**
curable polyurethanes, synthesis and characterization, pendant acrylate groups, 1442
induced reactions, ring-substituted polystyrenes, 1116
sensitive materials, new class, soluble polysilanes, 1129
synchrotron lithography, sub-micron features, single layer resists, 1153
**Radicals**, desorption, particle size distribution, vinyl acetate emulsion polymerization, 127
**Radiolysis**, low molecular-weight model compounds, ring-substituted polystyrenes, radiation-induced reactions, 1116
**Reaction injection molding**: *see* Injection molding, reaction
**Reactors**, continuous-flow stirred-tank, intramolecular reactions, multifunctional polymerization, 1314
**Resins**
azide-phenolic photoresists, photochemistry, 1090
bisphenolfurfural curing, differential scanning calorimetry, 1186
composites and, monitoring, use of microdielectrometry, 373
cross-linked, phase separation, polymeric modifiers, 54
phenolformaldehyde, polymerization, porous glasswool composite, 381
polypropylene tubular blown films, light transmission properties, 736
properties, blown film optical properties, correlation, 569
thermoplastic matrix, processing-structure-property relations, 1574
**Resists**
dry developable, E-beam and SR lithography, 1148
"dyed", reduction of reflective notches, 1165
negative acting, optimal developer selection, 1158
positive electron beam, two-layer systems, poly(alkenysilane sulfone), 1123
single layer, sub-micron features, synchrotron lithography, 1153
**Rheology**
curing thermosets, 432
melt
blends, high density polyethylene/polyamide-6, 34
Bryce Maxwell's "Forty Years Amongst the Large Molecules", 1351
molecular orientation of polydimethylsiloxane, elongation and shearing strains, 1276
parameter effect, phase morphology, polyblends, 82
polymer melts, molecular weight distribution, 1339
polymer powder and melt, constant pressure, non-isothermal rheometer, 989
poly(vinyl chloride)/chlorinated poly(vinyl chloride), miscible blends, 947
**Rheometer**, capillary viscometry, thermoset transfer molding compounds, 1399
**RIM**, *see* Injection molding, reaction
**Rolling**
effect of orientation, brittle-ductile transition, polycarbonate fracture, 1290
solid state, fabrication of high modulus films, 1254
**Rubber**
cryo-ground, melt flow and mechanical properties, polypropylene, 1079
particle size, impact properties, high impact polystyrene blends, 74

S

**Screw extruders**, *see* Extruders
**Screws**, Barr/Kim/Ingen Housz, extruder screws with barrier sections, 1245
**Shrinkage**, as a measure, extended chain conformation, 690
**Silica**, precipitation in silicone networks, catalysts, ethylamine and ammonia, 167
**Silicon carbide-silicon nitride**, fiber preparation, pyrolysis of polycarbosilazane precursors, 1191
**Silicone elastomers**
electrical properties, condensation reaction, 940
RTV-142, adhesion and surface behavior, 931
**Siloxane-urea**, segmented copolymers, small angle X-ray studies, 1371
**Solutes**, diffusion, swollen membranes, poly(2-hydroxyethyl methacrylate), 1180
**Sorption**
equilibria, ethanol, miscible poly-(vinylidene fluoride)/poly(methyl methyacrylate) blends, 1218
integral, induced crystallization, 1066
liquid, segmented polyurethane elastomer, 1547
transient, permeation and, heterogeneous media, 1045
**Spinning drop method**, molten polymer systems, measurement of interfacial tensions, 415
**Spun-on solutions**, contour coating, advanced optical lithography, 1135
**Steady state**, free radical solution, polymerization, continuous stirred tank reactor, 975
**Stoichiometric mixing ratio**, effects, epoxy cure, dielectric analysis, 362
**Strains**, elongation and shearing, polydimethylsiloxane, molecular orientation, 1276
**Stress**
adhesive tensile test methods, analysis, 962
development, supported polymer films, thermal cycling, 1213
numerical simulation of Boger fluids, viscometric approximation approach, 1552
relaxation curves, plastic foams, 1305
residual, non-destructive measuring technique, transparent polymers, 310
**Stress-optical laws**, molecular orientation of polydimethylsiloxane, elongation and shearing strains, 1276
**Styrene**, butadiene-styrene block copolymers, volumeric properties, microstructural influences, 525
**Styrene-4-vinylpyridine**, glass transition relations, ionomeric "comb" polymers, 1451

T

**Tanner's theory**, numerical simulation of Boger fluids, viscometric approximation approach, 1552
**Temperature**
barrel, melt, injection molding study, 854
cavity surface, effect of flow, thermoset and thermoplastic molding, 243
changes, poly(methyl methacrylate) and high density polyethylene, rapid compressive deformation, 1060
drawing, effect of additives, drawn high density polyethylene, 479
**Tensile fracture test**, brittle-ductile transition, polycarbonate fracture, effect of rolling orientation, 1290
**Tensile strength**
adhesive tensile test methods, analysis, 962
yield, polyethylene, 554
**Tension**
interfacial
drop image processing, poly(dimethyl siloxane)/polybutadiene, 1410
measurement, spinning drop method, 415
**Terephthalic acid**, ethylene glycol and, direct continuous esterification process, mathematical model, 708
**Test methods**, adhesive tensile, analysis, 962
**Thermogravimetric analysis**, polyetheretherketone, with oxidizer and pyrotechnic blend, 1469
**Thermoplastic matrix resins**, processing-structure-property relations, PEEK, 1574
**Thermoplastics**
components, creep-fatigue interactions, methodology for description, 1582
filled, cycle time measurements, injection molding, 877
**Thermoset**
curing, rheology, 432
epoxy, characterization, differential scanning calorimetry, 1514
formation and properties, high $T_g$, polymeric materials, 1429

**Transition**
glass, ionomeric "comb" polymers, 1451
high $T_g$ polymeric materials, formation and properties of thermosetting, 1429
melt elasticity measurements, application to polymer processing, 1405

U

**UV lithography**, negative photoresist, low molecular weight, 1105
**UV portable conformable mask system**, analysis, 1112

V

**Vinyl acetate**, emulsion polymerization, particle size distribution, radical desorption effect, 127
**Viscoelasticity theory**, linear and BKZ, superposition of small strains on large deformations, nonlinear response in polymers, 725
**Viscometry**, rotational, cone/plate and parallel plate configurations, 121
**VLSI**
"dyed" resist, reduction of reflective notches, 1165
optical lithography, submicron, Japan, 1140
**Volumeric properties**, microstructural influences, styrene-butadiene-styrene block copolymers, 525

W

**Water**
absorption
effect, high nitrite barrier polymers, 405
effect, poly(ethylene terephthalate), 620
immersion, joint strength, amino silane primer, 768
**Welding flows**, simulation in a slit, kinematics, 1012
**Weldlines**, performance prediction, amorphous polymers, 1200
**Whitening**, polypropylene, chloroform transport, 1533
**Wire coating**
extrusion, approximate solution, 957
finite element analysis, 171
high-speed, melt compressibility, 410

X

**X-rays**
photoelectron spectroscopy, polyetheretherketone, thermal stability and compatibility, 1469
small angle scattering, study of siloxane-urea segmented copolymers, 1371

# Author Index

Acierno, D., 28
Adams, K. L., 1434
Adolph, H. G., 1510
Agassant, J. F., 455, 682
Aglietto, M., 9
Akay, G., 479
Akovali, G., 1195
Amon, M., 255
Anastasiadis, S. H., 1410
Andersen, G. P., 962
Apicella, A., 600
Arcus, R. A., 1096
Armeniades, C. D., 1524
Arnold, W. H., 1165
Asano, T., 1105
Atoda, N., 1148

Bachmann, M. A., 346
Baer, E., 997
Bagrodia, S., 662
Baird, D. G., 225
Bair, H. E., 1399
Bajaj, P., 332
Balaba, W. M., 576
Ball, R. E., 189
Barker, M. B., 1582
Bauer, B. J., 3, 1208
Benedetti, E., 9
Betz, H., 1153
Bheda, J. H., 736
Bidstrup, W. W., 358
Biesenberger, J. A., 982
Bigg, D. M., 1254
Binnington, R. J., 133
Blyler, L. L., Jr., 1399
Boger, D. V., 133
Boldizar, A., 877
Bovey, F. A., 1419
Bowden, M. J., 1123
Bowling, W. C., 1469
Bowman, J., 1582
Boyer, R. F., 1355
Bretzlaff, R. S., 931
Broutman, L. J., 1173
Brown, H. R., 997
Bucknall, C. B., 54
Butta, E., 63

Caley, L. E., 1489
Carapellucci, L. M., 920
Cesca, S., 304
Chan, D., 144, 152
Chang, C. J., 893
Chao, V. W., 1112
Charrier, J., 468
Chau, C. C., 1533
Chen, J. K., 1410
Chiang, C. C., 1442
Chin, H. B., 393
Chin, I. J., 768
Chiou, J. S., 1218
Choi, K. Y., 975
Chu, E., 190
Chung, T., 410, 901
Ciardelli, F., 9
Cimen, I., 479
Cimini, R. A., 560
Cleaves, M. A., 1547
Clemons, J. M., 1191
Cole, R. F., 554
Collier, J. R., 239
Cooper, S. L., 1442
Cox, H. W., 488
Craighead, H. G., 1123
Crissman, J. M., 1050
Cross, M. M., 121
Crozier, D. G., 427
Curto, D., 28

D'Alessio, A., 9
Daniels, J. G., 1191
Darlington, M. W., 1282
Day, D. R., 362
Dealy, J. M., 468
Debruin, D., 1165
Delos, S., 338
Denson, C. D., 255
De, S. K., 1079
De Vos, G., 415
Devries, K. L., 962
Dey, S. K., 1007
Diamant, J., 515
Dobroth, T., 462
Doshi, S. R., 468
Dumoulin, M. M., 34
Durning, C. J., 1066

Egan, L. S., 15
Ehrlich, D. J., 1146
Eisenberg, A., 1451
Ellis, T. S., 290
Elmendorp, J. J., 415, 418, 1332
Emerson, J. A., 1410
Endo, S., 45
Epstein, M. M., 1254
Erwin, L., 462

Farber, J. N., 499
Farris, R. J., 1483
Fear, D. L., 1533
Feely, W. E., 1101
Feger, C., 1213
Fickes, G. N., 1129
Filisko, F. E., 1060
Fiorentino, R. J., 1254
Forger, R. D., 1
Foster, J. N., 730
Fradkin, D. G., 730
Freitag, T. A., 931
Fritz, H. G., 543
Frutiger, R. L., 243

Galy, J., 1514
Gamo, K., 1148
Ganani, E., 1563
Gauthier, S., 1451
Gaztelumendi, M., 1478
Gent, A. N., 285
Gillham, J. K., 1429
Gogos, C. G., 1457
Goldwasser, J. M., 1510
Gomes, V. G., 854, 867
Gotoh, M., 701
Gozdz, A. S., 1123
Gramoll, K. C., 962
Greener, J., 534, 886
Griffith, R. M., 233
Gunesin, B., 162
Gupta, S. K., 1033, 1314
Guzmán, J., 297

Hahn, H. T., 274
Hamielec, L. A., 111
Han, C. C., 1208
Han, C. D., 393, 673
Han, H., 673
Haque, E., 1524
Harrison, I. R., 690
Harrold, R. T., 367
Hartmann, B., 554
Hartney, M. A., 1158
Hashemi, S., 760
Hashimoto, M., 1090
Heuberger, A., 1153

Higgins, B. G., 1563
Hiltner, A., 997
Hobbs, S. Y., 74
Hofer, D., 1129
Hoffman, D. M., 1489
Hoh, K., 1148
Holin, N., 640
Honey, M. S., 1180
Ho, P. S., 1213
Houle, C. G., 1096
Hou, T., 338
Hrymak, A. N., 449
Htoo, M. S., 1089
Huang, C-F., 1457
Hubbauer, P., 1399
Huber, H.-L., 1153
Hu, C.-K., 1213

Iannelli, P., 600
Ibrahim, A. M., 593
Iida, M., 701
Illinger, J. L., 1547
Imamura, Y., 708
Imhof, J. C., 1101
Ishikawa, M., 1323
Itoh, T., 1105
Iwayanagi, T., 1090

Jabarin, S. A., 405, 620
Jarvela, P., 381
Jarvela, P. K., 381
Jarvie, T., 338
Jeong, J., 285
Jerard, R. B., 326
Jha, N. K., 332
Jordhamo, G. M., 517
Jordon, M. E., 690
Julemont, M., 162
Juska, T. D., 690

Kalyon, D. M., 508
Kamal, M. R., 92, 103, 190, 508, 854, 867
Kamatani, H., 708
Kanamoto, T., 658
Kang, Y., 1045
Karasz, F. E., 290, 1483
Kato, T., 1140
Kaul, A., 768
Kawamura, K., 1105
Kawazu, R., 1105
Kaye, A., 121
Kennedy, J. P., 662
Kim, B. H., 1290
Kim, S-G., 1200
Kinjo, N., 940
Kobayashi, K., 1105
Koberstein, J. T., 1410
Kojima, H., 585
Kranbuehl, D., 338
Kubat, J., 877
Kumar, A., 1297
Kwon, T. H., 214
Kyu, T., 45

Lafleur, P. G., 92, 103, 190
La Mantia, F. P., 28
Lando, J. B., 1310
Lane, J. W., 346
Lazzeri, A., 63
Ledbetter, F. E. III, 1191
Lee, A., 931
Lee, B., 989
Lee, D., 612
Lee, D. S., 393
Lee, G. F., 554
Lee, L. H., 626
Lee, L. J., 144, 152, 197, 205, 233
Lee, S., 982
Lee, Y. C., 633
Lehr, M. H., 947
Lekakou, C. N., 1264
Levita, G., 63
Li, C., 1442
Lin, B. J., 1112
Lin, C.-C., 127
Lofgren, E. A., 405, 620
Lohse, D. J., 1500
Lorenzo, L., 274
Luken, P. C., 612
Lu, Y.-Y., 127

Macosko, C. W., 1362
Makimura, O., 708
Malone, M. F., 1012
Mandell, J. F., 626
Manson, J. A., 517
Marchetti, A., 63
Marciano, J. H., 717
Marinero, E., 1129
Mark, J. E., 162, 167, 297, 304
Marmur, A., 139
Masakowski, L. M., 1158
Matsuoka, S., 1359, 1399
Matsuzawa, S., 1323
Mavridis, H., 449
Maxwell, B., 1351, 1405
Mayer, J., 338
McCrackin, F. L., 3
Mc Garry, F. J., 626
Mc Gee, R. L., 239
McGrath, J. E., 1371
Mc Kenna, G. B., 725
Meldon, J. H., 1045
Mentzer, C. C., 488
Miller, B., 1434
Miller, R. D., 1129
Miltz, J., 1305
Min, K., 45
Mirabella, F. M., 605
Misra, A. C., 332
Misra, S., 1297
Mitsoulis, E., 171, 1552
Mittal, R. K., 310, 318
Miyano, Y., 701
Miyasaka, K., 1323
Moddeman, W. E., 1469
Mondragón, I., 1478
Montes, S. A., 388
Moynihan, J. J., 1180
Muroga, Y., 3, 1208

Nagamatsu, G., 1105
Nagarajan, R. M., 1442
Nakada, T., 653
Nakane, H., 1148
Namba, S., 1148
Narkis, M., 139, 1568
Nazábal, J., 1478
Nelson, R. W., 144, 152
Nguyen, L. T., 781, 799, 843
Nicodemo, L., 600
Nicolais, L., 600
Ning, Y. P., 167
Nishimura, H., 585
Nonogaki, S., 1090
Noshiro, M., 585
Novembre, A. E., 1158

O'Brien, K. C., 1310
Ogata, N., 653
Oguchi, K., 653
Oh, H-Y., 1290
Ohnishi, Y., 1116
Ohno, S., 1105
Oikawa, S., 1148
Okada, M., 3, 1208

Pan, S. J., 997
Partridge, I. K., 54
Pascault, J-P., 1514
Patel, P. S., 1186
Patel, S. R., 1186
Patterson, W. I., 854, 867
Paul, D. R., 1218
Pearson, D. S., 1399
Penn, B. G., 1191
Peppas, N. A., 1180
Petrillo, K. E., 1112
Phadke, A. A., 1079
Picot, J. J. C., 1276
Pike, R. D., 225
Plochocki, A. P., 82, 1007
Poelzing, G. W., 1399
Porter, R. S., 189, 633
Powell, R. L., 1563
Prime, R. B., 337
Progelhof, R. C., 1399
Pucci, M. S., 569
Purola, J., 381

Questad, D. L., 269

Rahm, L. F., 1349
Ramirez, J. L., 388
Ramon, O., 1305
Rashmi, V., 310
Rauwendaal, C., 1240, 1245
Ravens, T. R., 326
Ray, A. K., 1033
Read, M. D., 225
Rebenfeld, L., 1066, 1434
Reboredo, M. M., 717
Riande, E., 297
Richardson, S. M., 1264
Rodriguez, E. L., 1060
Rojas, A. J., 717
Roller, M. B., 432
Roviello, A., 600
Ruggeri, G., 9
Russel, W. B., 1066
Ryan, M. E., 190

Sabra, A., 1514
Saini, D. R., 441
Salame, M., 1543
Sanjana, Z. N., 337, 367, 373
Santerre, J. P., 1276
Sanui, K., 653
Sara, A., 1229
Schleigh, W. R., 1096
Schmidt, L. R., 1457
Schneider, N.S., 1547
Scott, A. J., 1282
Secor, R. M., 647, 969
Seferis, J. C., 346, 593, 1574
Senturia, S. D., 354, 358
Shah, P. P., 1186
Sharaf, M. A., 162, 304
Shenoy, A. V., 441
Shen, S. F., 214
Sheppard, N. F., Jr., 354, 358
Shibayama, K., 1140
Shiraishi, H., 1090
Shroff, R. N., 569
Singh, I. P., 318
Sirigu, A., 600
Smith, A. C., 1282
Smith, E. G., 1254
Sohn, J. E., 1410
Soh, S. K., 893
So, P. K., 1173
Sornberger, G., 455, 682
Sperling, L. H., 517, 730
Spruiell, J. E., 736
Stein, C. M., 1101
Stevenson, J. F., 233, 746
Subramanian, R. V., 576
Suh, N. P., 781, 799, 843, 1200
Sundberg, D. C., 560
Sung, C. S. P., 768
Sung, N., 1045
Sung, N. H., 768

Tajima, Y. A., 427
Takahashi, Y., 653
Tanigaki, K., 1116
Tanigami, T., 1323
Tateishi, K., 1116
Teyssie, P., 162
Thierfelder, W. G., 1399
Thomas, D. A., 730
Tibbitts, E. E., 1469
Tincer, T., 479
Tiu, C., 957
Toma, P., 28
Tong, H. M., 1213
Tormala, P., 381
Tran-Cong, Q., 3, 1208
Trantina, G. G., 776
Trefonas, P. III, 1129
Tsuda, M., 1148
Tuminello, W. H., 1339
Turner, S. R., 1096
Tyagi, D., 1371

Ueda, H., 1483
Utracki, L. A., 3, 34, 116, 2

Valenza, A., 28
Van Der Reijden-Stolk, C., 1229
Van Der Vegt, A. K., 1332
Vatansever, A., 1195
Vaxman, A., 139
Velisaris, C. N., 1574
Vergamini, P., 9
Vergnes, B., 455, 682
Viney, C., 1021
Vlachopoulos, J., 449

Wakashima, Y., 940
Wang, K. K., 214
Watts, M. P. C., 1165
Wedgewood, A. R., 593
Wei, K. H., 1012
West, R., 1129
Whitaker, R. B., 1469
White, D. H., 640
White, J. L., 45
White, L. K., 1135
Wignall, G. D., 695
Wilczynski, J. S., 1145
Wilczynski, K., 1007
Wilkes, G. L., 662, 1371
Williams, J. G., 760
Williams, M. C., 525
Williams, R. J. J., 717
Willson, C. G., 1129
Winfree, W., 338
Winnik, M. A., 15
Winter, H. H., 543, 1012
Wolf, D., 640
Woilmann, D., 1451

Worth, R. A., 1293

Yabuta, M., 1148
Yacubowicz, J., 139, 1568
Yamada, T., 708
Yamashita, Y., 1105
Yamura, K., 1323
Yang, B., 144, 197, 205
Yang, B. J. L., 1112
Yarita, T., 585
Yee, A. F., 920
Yi, E., 338
Yokono, H., 701
Yokota, A., 1148
Yokoyama, T., 940
Yoneyama, S., 653

Zachariades, A. E., 658
Zapas, L. J., 725